Scientific publications of B. Csákány

[1] On the equivalence of certain classes of algebraic systems, *Acta Sci. Math. (Szeged)* **23**(1962), 46-57. (Russian)

[2] Abelian properties of primitive classes of universal algebras, *Uspehi Mat. Nauk* **17**:6 (1962), 217. (Russian)

[3] Primitive classes of algebras which are equivalent to classes of modules and semimodules, *Acta Sci. Math. (Szeged)* **24**(1963), 157-164. (Russian)

[4] On Abelian properties of primitive classes of universal algebras, *Acta Sci. Math. (Szeged)* **25**(1964), 202-208. (Russian)

[5] Inner automorphisms of universal algebras, *Publ. Math. (Debrecen)* **12**(1965), 331-333.

[6] with F. Gécseg, On the group of automaton transformations, *Kibernetika (Kiev),* **1**:5 (1965), 14-17. (Russian)

[7] with G. Pollák, On the graph of subgroups of a finite group, *Czechoslovak Math. J.* (19)**94**(1969), 241-247. (Russian)

[8] with E. T. Schmidt, Translations of regular algebras, *Acta Sci. Math. (Szeged)* **31**(1970), 157-160.

[9] Characterizations of regular varieties, *Acta Sci. Math. (Szeged)* **31**(1970), 187-189.

[10] A méhek lépsejtjeiről matematikus szemmel, *Középisk. Matem. Lapok* **43**(1971), 109-117.

[11] Varieties of affine modules, *Acta Sci. Math. (Szeged)* **37**(1975), 3-10.

[12] with L. Megyesi, Varieties of idempotent medial quasigroups, *Acta Sci. Math.(Szeged)* **37**(1975), 17-23.

[13] Varieties in which congruences and subalgebras are amicable, *Acta Sci. Math. (Szeged)* **37**(1975), 25-31.

[14] On affine spaces over prime fields, *Acta Sci. Math. (Szeged),* **37**(1975), 33-36.

[15] Varieties of modules and affine modules, *Acta Math. Acad. Sci. Hungar.* **26**(1975), 263-266.

[16] Congruences and subalgebras, *Ann. Univ. Sci. Budapest Eötvös Sect. Math.* **18**(1975), 37-44.

[17] Varieties whose algebras have no idempotent elements, *Colloq. Math.* **35**(1976), 201-203.

[18] Conditions involving universally quantified function variables, *Acta Sci. Math. (Szeged)* **38**(1976), 201-203.

[19] Homogeneous algebras, *Contributions to General Algebra* (Proc. Conf. Klagenfurt, 1978), Verlag Johannes Heyn, Klagenfurt, 1979; pp. 77-81.

[20] with L. Megyesi, Varieties of idempotent medial n-quasigroups, *Colloq. Math.* **42**(1979), 45-52.

[21] with T. Gavalcová, Finite homogeneous algebras I., *Acta Sci. Math. (Szeged)* **42**(1980), 57-65.

[22] Homogeneous algebras are functionally complete, *Algebra Universalis* **11**(1980), 149-158.

[23] with T. Gavalcová, Inductive clones, *Finite Algebra and Multiple-Valued Logic* (Proc. Conf. Szeged, 1979), Colloq. Math. Soc. J. Bolyai, vol. 28, North-Holland, Amsterdam-New York-Oxford, 1981; pp. 115-126.

[24] Homogeneity and completeness, *Fundamentals of Computation Theory,* Lecture Notes in Computer Science, vol. 117, Springer-Verlag, Berlin-Heidelberg-New York, 1981; pp. 81-89.

[25] with T. Gavalcová, Three-element quasi-primal algebras, *Studia Sci. Math. Hungar.* **16**(1981), 237-248.

[26] Three-element groupoids with minimal clones, *Acta Sci. Math. (Szeged)* **45**(1983), 111-117.

[27] All minimal clones on a three-element set, *Acta Cybernetica* **6**(1983), 227-238.

[28] Selective algebras and compatible varieties, *Studia Sci. Math. Hungar.* **19**(1984), 431-436.

[29] Completeness in coalgebras, *Acta Sci. Math. (Szeged)* **48**(1985), 75-84.

[30] On conservative minimal operations, *Lectures in Universal Algebra* (Proc. Conf. Szeged, 1983), Colloq. Math. Soc. J. Bolyai, vol. 43, North-Holland, Amsterdam- New York-Oxford, 1986; pp. 49-60.

[31] with A. Szederkényi, Varieties generated by homogeneous algebras, *Algebra Universalis* **30**(1993), 337-344.

[32] Life is functionally complete, *Algebra Universalis* **30**(1993), 149-150.

[33] with A. A. Iskander, Solvability of equations in varieties of universal algebras, *Acta Math. Univ. Comenianae,* **62**:2(1993), 169-178.

[34] Magari via Malcev, *Algebra Universalis* **36**(1996), 421-422.

[35] with K. A. Kearnes, Algebras whose subalgebras and reducts are trivial, *Acta Sci. Math. (Szeged),* **63**(1997), 379-381.

[36] with R. Juhász, The solitaire army reinspected, *Mathematics Magazine,* **73**(2000), 354-363.

[37] with T. Waldhauser, Associative spectra of binary operations, *Multiple Valued Logic,* **5**(2000), 175-200.

[38] A form of the Zermelo—von Neumann theorem under minimal assumptions, *Acta Cybernetica,* **15**(2002), 321-325.

[39] Minimal clones—a minicourse, *Algebra Universalis,* **54**(2005), 73-89.

Citations (February, 2012)

P. Agliano, A. Ursini, On subtractive varieties II, General properties, *Algebra Universalis,* **36**(1996), 222-259.
[3] , [4]

V. A. Artamonov, Minimal varieties of generalized semigroups, groups, and rings, *Sibirsk. Mat. Zh.* **21**:3, (1980), 6-22. (Russian)
[11]

V. A. Artamonov, Universal algebras, *Algebra, topology, geometry (VINITI, Moscow),* **14**(1976), 191-248. (Russian)
[5], [8], [9]

K. A. Baker, Bjarni Jonsson's contributions in algebra, *Algebra Universalis,* **31**(1994), 306-336.
[8],[9]

J. T. Baldwin, J. Berman, Elementary classes of varieties, *Houston J. Math.* **7**(1981), 473-492.
[16]

G. D. Barbour, J. G. Raftery, On the degrees of permutability of subregular varieties, *Czechoslovak Math. Journal,* **47**(122) (1997), 317-325.
[9]

G. I. Bell, D. S. Hirschberg, P. Guerrero-García, The minimum size required of a solitaire army, *Integers,* **7** (2007), G07, 22 p.
[36]

R. Belohlavek, On the regularity of MV-algebras and Wajsberg hoops, *Algebra Universalis* **44**(2000), 375-377.
[9]

R. Belohlavek, Some properties of residuated lattices, *Czechoslovak Math. J.* **53(128)**(2003), 161-171.
[9]

R. Belohlavek, I. Chajda, Congruence properties in single algebras, *Discussiones Mathematicae,* **17**(1997), 67-78.
[9]

C. Bergman, A. Romanowska, Subquasivarieties of regularized varieties, *Algebra Universalis,* **36**(1996), 536-563.
[11], [12]

J. Berman, Free spectra of 3-element algebras, *Universal Algebra and Lattice Theory,* Lecture Notes in Math. vol. 1004, Springer-Verlag, Berlin-Heidelberg-New York, 1983; pp. 10-53.
[22], [25], [26]

E. Beutler, Theorie der c-Ideale, Thesis, Univ. Hamburg, 1975.
[1], [3], [4], [5]

E. Beutler, The c-ideal lattice and subalgebra lattice are independent, *Contributions to Universal Algebra* (Proc. Conf. Szeged, 1975), Colloq. Math. Soc. J. Bolyai, vol. 17, North-Holland, Amsterdam-New York-Oxford, 1977; pp. 33-39.
[4]

E. Beutler, An idealtheoretic characterization of varieties of Abelian fi-groups, *Algebra Universalis* **8**(1978), 91-100.
[1], [3], [4]

M. Bodirsky, H. Chen, Oligomorphic clones, Algebra Universalis **57**(2007), 109-125.
[27], [39]

F. Börner, L. Haddad, R. Pöschel, Minimal partial clones, *Bull. Austral. Math. Soc.* **44**(1991), 405-415.
[27]

A. Bulatov, Combinatorial problems raised from 2-semilattices, *J. Algebra* **298** (2006), 321-339.
 [27], [30]

S. Bulman-Fleming, A. Day, W. Taylor, Regularity and modularity of congruences, *Algebra Universalis* **4**(1974), 58-60.
[9]

S. Bulman-Fleming, W. Taylor, Union-indecomposable varieties, *Colloq. Math.* **35**(1976), 189-199.
[9]
I. Chajda, *Algebraic Theory of Tolerance Relations,* Univ. Palackeho Olomouc, 1991.
[9], [16]
I. Chajda, A Mal'cev characterization of tolerance regularity, *Acta Sci. Math. (Szeged)* **42**(1980), 229-232.
 [8],[9]
I. Chajda, Lattices and semilattices having an antitone involution in every upper interval, *Comment. Math. Univ. Carolin.* **44** (2003), 577-585.
[8]
I. Chajda, Locally regular varieties, *Acta Sci. Math. (Szeged),* **64** (1998), 431-435.
[9]
I. Chajda, Modifications of Csakany's theorem, *Discussiones Mathematicae,* **20**(2000), 37-41.
[17]
I. Chajda, Regularity in arithmetical varieties, *Arch. Math. (Brno)* **20**(1984), 177-182.
[9]
I. Chajda, The Csakany theory of regularity for finite algebras, *Math Slovaca* **45**:1(1995), 39-43.
[9]
I. Chajda, Transferable principal congruences and regular algebras, *Math. Slovaca* **34**(1984), 97-102.
[9]
I. Chajda, Weak coherence of congruences, *Czechoslovak Math. Journal* (41**)116**(1991), 149-154.
[9]
I. Chajda, Weakly regular algebras in varieties with principal compact congruences, *Czechoslovak Math. Journal (36)111(1986), 140-146.*
[9]
I. Chajda, J. Duda, Compact universal relation in varieties with constants, *Czech Math. Journal,* (47**)122**(1997), 173-178.
[17], [34]
I. Chajda, J. Duda, Rees algebras and their varieties, *Publicationes Math.* **32**(1985), 17-22.
[16]
I. Chajda, G. Eigenthaler, Dually regular varieties, *Contibutions to General Algebra 12,* Verlag Johannes Heyn, Klagenfurt, 2000; pp. 121-128.
[9]
I. Chajda, G. Eigenthaler, H. Langer, Congruence Classes in Universal Algebra, Heldermann Verlag, Lemgo, 2003.
[9], [16], [17]
I. Chajda, R. Halas, J. Kuhr, Many-valued quantum algebras, *Algebra Universalis* **60**(2009), 63-90.
[9]

I. Chajda, R. Halas, J. Kuhr, Distributive lattices with sectionally antitone involutions, *Acta Sci. Math. (Szeged)* **71**(2005), 19-33.
[9]
I. Chajda, S. Radeleczki, On varieties defined by pseudocomplemented nondistributive lattices, *Publ. Math. Debrecen* **63**(2003), 737-750.
[9]
I. Chajda, B. Zelinka, Tolerances and congruences on implication algebras, *Czechoslovak Math. Journal* (38**)113**(1988), 207-217.
[9]
I. Chakrabarty, S. Ghosh, T. K. Mukherjee, M. K. Sen, Intersection graphs of ideals of rings, *Discrete Math.* **309** (2009), 5381-5392.
[7]
J. R. Cho, J. Dudek, Affine spaces as models for regular identities, *Colloq. Math.* **91**(2002), 29-38.
[14]
J. R. Cho, J. Dudek, Medial idempotent groupoids. III., *J. Austral. Math. Soc. Ser.A* **68** (2000), 312-320.
[14]
P. M. Cohn, *Universal'naya algebra,* Mir, Moscow, 1968. (Eredetileg: Universal Algebra, Harper & Row, New York-Evanston-London, 1965.)
[2], [3] (p. 180)   ^
M. Couceiro, E. Lehtonen, Generalizations of Swierczkowski's lemma and the arity gap of finite functions, *Discrete Math.* **309** (2009), 5905-5912.

[39]

G. Czédli, The mathematics of G. Grätzer and E. T. Schmidt, *Algebra Universalis* **59**(2008), 11-30.

[8]

Dassow, J., *Completeness Problems in the Structural Theory of Automata,* Mathematische Forschung, Bd. 7, Akademie-Verlag, Berlin, 1981.
[6]
B. A. Davey, K. R. Miles, V. J. Schumann, Quasi-identities, Mal'cev conditions, and congruence regularity, *Acta Sci. Math. (Szeged)* **51**(1987), 39-55.
[9]
J. Demetrovics, L. Hannák, On finite algebras with one operation, *Algebra i Logika,* **19**(1980), 640-645. (Russian)
[21], [22]
J. Demetrovics, L. Hannák, On the number of functionally complete algebras, *Proc. 12th Int. Symp. Multiple-Valued Logic,* IEEE Comp. Soc. Press, 1982; pp. 329-330.
 [22]
J. Demetrovics, L. Hannák, The number of reducts of a preprimal algebra, *Proc. 12th Internat. Symp. Multiple-Valued Logic,* IEEE Comp. Soc. Press, 1982; pp. 331-335.
[19], [21], [22]

J. Demetrovics, L. Hannák, The number of reducts of a preprimal algebra, *Algebra Universalis* **16**(1983), 178-185.
[19], [21], [22]

J. Demetrovics, L. Hannák, Construction of large sets of clones, *Z. math. Logik Grundl. Math.* **33**(1987), 127-133.
[21]

J. Demetrovics, L. Hannák, S. S. Marchenkov, Some remarks on the structure of P_3, *C. R. Math. Rep. Acad. Sci. Canada* **2**(1980), 215-219.
[21], [22]

J. Demetrovics, L. Hannák, L. Rónyai, Almost all prime-element algebras with transitive automorphism groups are functionally complete, *Finite Algebra and Multiple- Valued Logic* (Proc. Conf. Szeged, 1979), Colloq. Math. Soc. J. Bolyai, vol. 28, North-Holland, Amsterdam-New York-Oxford, 1981; pp. 191-201.
[22]

J. Demetrovics, L. Hannák L. Rónyai, Prime-element algebras with transitive automorphism groups, *C. R. Math. Rep. Acad. Sci. Canada* **3**(1981), 19-22.
[22]

J. Demetrovics, L. Hannák, L. Rónyai, Selfdual classes and automorphism groups, *Proc. 13th Internat. Symp. Multiple-Valued Logic,* IEEE Comp. Soc. Press, 1983; pp. 122-125.
[21], [22]

J. Demetrovics, I. A. Malcev, Essentially minimal TC-clones on three-element base set, C. R. Math. Rep. Acad. Sci. Canada **8** (1986), 191-196.
[27]

J. Demetrovics, L. Rónyai, On free spectra of selfdual clones, *Math. Structures, Computational Math., Math. Modelling* (papers dedicated to L. Iliev's 70th anniversary), Sofia, 1984; pp. 136-140.
[21]

K. Denecke, K. Saengsura, Separation of clones of cooperations by cohyperidentities, *Discrete Math.* **309**(2009), 773-783.
[29]

K. Denecke, S. L. Wismath, *Universal algebra and coalgebra,* World Scientific, New Yersey, etc., 2009.
[29]

P. Dömösi, On the semigroup of automaton mappings with finite alphabet, *Acta Cybern.* **1**(1972), 251-254.
[6]

P. Dömösi, Some of my favourite unsolved problems, *Unsolved Problems on Mathematics for the 21st Century,* A Tribute to Kiyoshi Iseki's 80th Birthday, IOS Press, 2001; pp. 159-168.
[6]

J. Duda, Coherence and weak coherence in the square of algebras, *Czechoslovak Math. Journal* (42**)117**(1992), 613-618.
[9]

J. Duda, Congruence restrictions on axes, *Mathematica Bohemica,* **117**(1992), 251-258.
[9]

J. Duda, Mal'cev conditions for regular and weakly regular subalgebras of the square, *Acta Sci. Math. (Szeged)* **46**(1983), 29-34.
[9], [16]
J. Duda, Mal'cev conditions for varieties of subregular algebras, *Acta Sci. Math. (Szeged)* **51**(1987), 329-334.
[9], [16]
J. Duda, Mal'cev type theorems for partial congruences, *Casopis Pest. Mat.,* **115**(1990), 204-210.
[9]
J. Duda, Subcoherent algebras, *Czechoslovak Math. Journal* (43) **118**(1993), 281-284.
[9]
J. Dudek, Affine spaces over *GF*(3), *Studia Logica* **72** (2002), 363-366.
[14]
J. Dudek, J. Tomasik, Affine spaces over GF(4), *Algebra Universalis,* **36**(1996), 279-285.
[12], [14], [27]
J. Dudek, A polynomial characterization of some idempotent algebras, *Acta Sci. Math. (Szeged)* **50**(1986), 39-49.
[14]
J. Dudek, Dedekind's numbers characterize distributive lattices, *Algebra Universalis* **28**(1991), 36-39.
[14]
J. Dudek, Medial idempotent groupoids I., *Czechoslov. Math. Journal***41(116)**(1991), 249-259.
[11], [14]
J. Dudek, Medial idempotent groupoids II., preprint, 1993.

[14]
J. Dudek, On Csákány's problem concerning affine spaces, *Acta Sci. Math. (Szeged),* **56**(1992), 3-13.
[14]
J. Dudek, On varieties of groupoid modes, *Demonstratio Mathematica,* **27**(1994), 815828.
[14], [27]
J. Dudek, Polynomials in idempotent commutative groupoids, *Dissertationes Math.,* 1989.
[14]
J. Dudek, Small idempotent clones I., *Czech Math. Journal,* **48**(123)(1998), 105-118.
 [14], [27]
J. Dudek, The minimal extension of the sequence (0, 0, 3), *Algebra Universalis* **29**(1992), 419-436.
[14]
J. Dudek, The unique minimal clone with three essentially binary operations, *Algebra Universalis* **27**(1990), 261-269.
[11], [14], [27]
J. Dudek, J. Galuszka, A characterization of distributive Steiner quasigroups and semilattices, *Discussiones Mathematicae* **15** (1995), 101-119.
[14]

J. Dudek, A. Kisielewicz, Idempotent algebras with log-linear free spectra, *Algebra Universalis* **28**(1991), 119-127.

[11], [14]

T. Evans, Some remarks on the general theory of clones, *Finite Algebra and Multiple- Valued Logic* (Proc. Conf. Szeged, 1979), Colloq. Math. Soc. J. Bolyai, vol. 28, North-Holland, Amsterdam-New York-Oxford, 1981; pp. 203-244.

[27]

W. Felscher, Equational maps, *Contributions to Math. Logic* (Proc. Colloq. Hannover, 1966), North-Holland, Amsterdam-New York-Oxford, 1968; pp. 121-161.

[1], [3], [4]

V. Fleischer, On the homological classification of semirings with zero, *Acta Comm. Univ. Tartu* **336**(1975), 42-74. (Russian)

[3]

V. Fleischer, Projective and injective varieties of Abelian fi-algebras, *Contributions to Universal Algebra* (Proc. Conf. Szeged, 1975), Colloq. Math. Soc. J. Bolyai, vol. 17, North-Holland, Amsterdam-New York-Oxford, 1977; pp. 113-132.

[13]

V. Fleischer, On projective Hamiltonian varieties, *Universal Algebra* (Proc. Conf. Esztergom, 1977), Colloq. Math. Soc. J. Bolyai, vol. 29, North-Holland, Amsterdam- New York-Oxford, 1982; pp. 271-287.

[13]

R. Freese, R. McKenzie, *Commutator Theory for Congruence Modular Varieties* (London Math. Soc. Lecture Notes, vol. 125), Cambridge University Press, Cambridge- New York-New Rochelle-Melbourne-Sidney, 1987.

[1],[15]

E. Fried, H. K. Kaiser, L. Marki, An elementary way for polynomial interpolation in universal algebras, *Algebra Universalis* **15**(1982), 40-57.

[21], [22], [23]

J. Galuszka, Finite idempotent groupoids with small clones, *Contr. to General Algebra 13,* V. J. Heyn, Klagenfurt, 2000, pp. 135-140.

[26]

J. Galuszka, Two-generated idempotent groupoids with small clones, *Colloq. Math.* **90** (2001) 59-68.

[26]

J. Galuszka, Varieties of idempotent groupoids with small clones, *Colloq. Math.,* **81**(1999), 63-87.

[14], [27]

O. C. Garcia, W. Taylor, *The lattice of interpretability types of varieties,* Mem. Amer. Math. Soc. 305, 1984.

[17], [28]

B. J. Gardner, Transfer properties in radical theory, *Bul. Acad. Stymie Repub. Mold. Mat.* (2004), 1, 46-56.

[11],[12]

F. Gécseg, On some classes of semimodules and modules, *Acta Sci. Math. (Szeged)* **24**(1963), 165-172. (Russian)
[2],[3]

F. Gécseg, On R-products of automata, *Studia Sci. Math. Hungar.* **1**(1966), 437-447.
[6]

Gécseg F., Peák I., Az automaták algebrai elmélete, *Math. Lapok* **17**(1966), 77-134.
[6]

F. Gécseg, I. Peák, *Algebraic Theory of Automata,* Akad. Kiadó, Budapest, 1972.
[6]

G. Gévay, "Symmetry. Cultural-historical and ontological aspects of science-arts relation" by György Darvas. Book review. *Acta Sci. Math. (Szeged)* **76**(2010), 723-724.
[10]

S. Givant, A representation theorem for universal Horn classes categorical in power, *Annals Math. Logic* **17**(1979), 91-116.
[11]

K. Glazek, *A Guide to the Literature on Semirings and their Applications in Mathematics and Information Sciences With Complete Bibliography,* Kluwer Academic Publishers, Dordrecht/Boston/London, 2002.
[3],[15]

K. Glazek, *Algebry dziahn algebraicznych a morfizmy systemov algebraicznych,* Wydawnictwo Uniwersytetu Wroclawskiego, Wroclaw, 1994.
[1], [3], [4], [11], [22]

K. Glazek, Morfizmy systemáv algebraicznich bez wyráznionych dzialan podsta- wowych, Preprint Nr. 48, Politechnika Warszawska, 1991.
[1], [3], [4], [11], [22]

K. Gllazek, Morphisms on general algebras without fixed fundamental operations, *Contemporary Mathematics* **184**(1995), 117-137.
[1], [3], [4]

K. Glazek, On weak automorphisms of some finite algebras, *Contemporary Mathematics* **131**(1992)(Part 3), 99-110.
[1]

K. Glazek, Semigroups of weak endomorphisms of universal algebras, *Proc. Int. Symp. Semigroup Theory,* Kyoto, 1990; pp. 85-102.
[1]

K. Glazek, Some old and new problems in the independence theory, *Colloq. Math.* **42**(1979), 127-189.
[15]

K. Glazek, Weak homomorphisms of general algebras and related topics, *Math. Seminar Notes (Kobe)* **8**(1980), 1-36.
[1],[2], [3], [4], [11], [12], [13], [15], [20], [22]

K. Glazek, J. Michalski, On weak homomorphisms of general non-indexed algebras, *Bull. Acad. Pol. Sci.* **27**(1974), 651-656.
[1]

K. Glazek, J. Michalski, Weak homomorphisms of general algebras, *Annales Soc. Math. Pol. Ser. 1,* **19**(1977), 211-228.

[2]

M. Goldstern, M. Pinsker, A survey of clones on infinite sets, *Algebra Universalis,* **59**(2008), 365-403.

[39]

J.-U. Grabowski, R. Poschel, Rigid relations, *Proc. Internat. Conf.* (Summer School on General Algebra and Ordered Sets, 1994), Palacky University, Olomouc, 1994; pp. 124-130.

[27]

G. Grätzer, *Universal Algebra,* 2nd Edition, Springer-Verlag, Berlin-Heidelberg-New York, 1979.

[1],[3], [4], [5], [8], [9], [11], [12], [13], [14], [15], [16], [17], [18], [20]

G. Grätzer, A. Kisielewicz, A survey of some open problems on p_n-sequences and free spectra of algebras and varieties, *Universal Algebra and Quasigroup Theory,* Heldermann-Verlag, Berlin, 1992; pp. 57-88.

[14],[27]

H.-P. Gumm, Algebras in congruence permutable varieties: Geometrical properties of affine algebras, *Algebra Universalis* **9**(1979), 8-34.

[4], [11]

H.-P. Gumm, Geometrical methods in congruence modular algebras, *Mem. Amer. Math. Soc.* 286, 1983.

[11],[15]

L. Haddad, I. G. Rosenberg, Finite clones containing all permutations, *Canad. J. Math.* **46** (1994), 951-970.

[27]

J. Herrera, Les theories convexes de Horn, *Comptes Rendus (Paris)* **287**(1978), A- 593-594.

[15]

J. Herrera, Theorie de Horn et categories, Thesis, Universite de Paris VII, 1978.

[15]

Ch. Herrmann, Affine algebras in congruence modular varieties, *Acta Sci. Math. (Szeged)* **41**(1971), 119-125.

[4], [11]

G. Hutchinson, Relation categories and coproduct congruence categories in universal algebra, *Algebra Universalis* **32** (1994), 609-647.

[4], [18]

G. Hutchinson, Varieties of algebras with linear terms, *Acta Sci. Math. (Szeged)* **65**(1999), 33-45.

[3], [15]

A. A. Iskander, Extensions of algebraic systems, *Trans. Amer. Math. Soc.* **281**(1984), 309-327.

[9], [12], [16]

A. A. Iskander, Decomposition of universal algebras by idempotent algebras, Algebra Universalis **18**(1984), 274-294.

[12], [16]

M. Jackson, Generalising congruence regularity for varieties, *Algebra Universalis* **48**(2002), 249-252.

[9]

D. Jakubikova-Studenovska, Homogeneous monounary algebras, *Czechoslovak Math. J.* **52(127)**(2002), 309-317

[19]

D. Jakubikova-Studenovska, On 2-homogeneity of monounary algebras, *Czechoslovak Math. J.* **53(128)**(2003), 55-68. [19],

[21], [22]

J. Ježek, On the equivalence between primitive classes of universal algebras, *Z. math. Logik Grundl. Math.* **14**(1968), 309-320.

[2]

J. Ježek, *Univerzalni algebra a teorie modelu,* Mat. Seminar SNTL, Praha, 1976.

[1],[3], [4]

J. Ježek, T. Kepka, Atoms in the lattice of varieties of idempotent groupoids, *Lattice Theory* (Proc. Conf. Szeged, 1974) Coll. Math. Soc. J. Bolyai, vol. 14., North- Holland, Amsterdam-New York-Oxford, 1976; pp. 185-194.

[11],[12]

J. Ježek, T. Kepka, Varieties of abelian quasigroups, *Czechoslovak Math. J.* **27**(1977), 473-503.

[11], [12]

J. Ježek, T. Kepka, Simple semimodules over commutative semirings, *Acta Sci. Math. (Szeged)* **46**(1983), 17-27.

[3], [11], [12]   ^   ^

J. Ježek, T. Kepka, *Medial groupoids,* Rozpravy Ceskosloven. Akad. Ved Rada Math. Prlrod. Ved **93/2**(1983).

[11], [12], [20]

J. Jezek, T. Kepka, P. Nemec, *Distributive groupoids,* Rozpravy Ceskosloven. Akad. Ved Rada Math. Prlrod. Ved **91/3**(1981).

[12]

J. Ježek, R. Quackenbush, Minimal clones of conservative functions, *Internat. J. Algebra Comput.* **5** (1995), 615-630.

 [27], [30]

M. Jibladze, T. Pirashvili, Linear extensions and nilpotence of Maltsev theories, *Beitrge Algebra Geom.* **46**(2005), 71-102.

[11]

J. Johnson, E.G. Manes, On modules over a semiring, *Journal of Algebra* **15**(1970), 57-67.

[3]

B. Jonsson, *Topics in Universal Algebra,* Lecture Notes in Math., vol. 250, SpringerVerlag, Berlin-Heidelberg-New York, 1972.

[5]

H. K. Kaiser, Interpolation in universal algebra, *Universal algebra and its links with logic, algebra, combinatorics, and computer science* (R & E 4, Proc. "25. Arbeitstagung Allg. Algebra", Darmstadt,1983), Heldermann Verlag, Berlin, 1984; pp. 29-40.

[22]

H. K. Kaiser, L. Márki, Remarks on a paper of L. Szabó and A. Szendrei, *Acta Sci. Math. (Szeged)* **42**(1980), 95-98.

[22]

T. Kepka, P. Nemec, Notes on distributive groupoids, *Math. Nachrichten* **87** (1979), 93-101.

[12]

E. W. Kiss, Each Hamiltonian variety has the congruence extension property, *Algebra Universalis* **12**(1981), 395-398.
[4]

E. W. Kiss, M. A. Valeriote, Abelian algebras and the Hamiltonian property, *Journal Pure Appl. Algebra* **87**:*1(1993), 37-49.*
[4]

L. Klukovits, Some measure problems concerning the retrospective sequential functions, *Acta Cybern.* **1**(1969), 27-40.
[6]

L. Klukovits, On commutative universal algebras, *Acta Sci. Math. (Szeged)* **34**(1973), 171-174.
[4]

L. Klukovits, Hamiltonian varieties of universal algebras, *Acta Sci. Math. (Szeged)* **37**(1975), 11-15.
[3], [4]

L. Klukovits, On the independence of mediality conditions, *Contributions to General Algebra 2* (Proc. Conf. Klagenfurt, 1982), Holder-Pichler-Tempsky, Wien, Teubner, Stuttgart, 1983; pp. 209-214.
[12]

R. A. Knoebel, The equational classes generated by single functionally precomplete algebras, Mem. Amer. Math. Soc. 332, 1985.

[11]

J. Kollár, Congruences and one element subalgebras, *Algebra Universalis* **9**(1979), 266-267.
[17]

A. G. Kurosh, Works of Moscow algebraists in the theory of universal algebras, *Colloq. Math.* **14**(1966), 131-133. (Russian)
[2], [3]

A. G. Kurosh, General algebra (lectures of the academic year 1969-70), MGU, Moscow, 1970. (Russian)
[1], [3], [4]

D. Lau, *Function Algebras on Finite Sets,* Springer-Verlag, Berlin, Heidelberg, New York, 2006.
[26], [27], [30], [39]

Lee Sin-Min, On the sequences representable by idempotent algebras, *Math. Seminar Notes (Kobe)* **8**(1980), 287-294.

[14] ,

L. Lévai, P. P. Pálfy, On binary minimal clones, *Acta Cybernetica,* **12**(1996), 279-294.

[26],[27]

S. Liebscher, T. Waldhauser, On associative spectra of operations, *Acta Sci. Math. (Szeged)* **75** (2009), 433-456.
[37]

H. Machida, I. G. Rosenberg, Classifying essentially minimal clones, Universite de Montreal, CRMA, Preprint 1198, 1983, and in: *Proc. 14th Internat. Symposium on Multiple-Valued Logic, Winnipeg,* IEEE Computer Soc. Publ. Office, 1984; pp. 4-7.

[26]

H. Machida, I. G. Rosenberg, Essentially minimal groupoids, Universite de Montreal, CRMA, Preprint 1252, 1984, and in: *Proc. 15th Internat. Symposium on Multiple- Valued Logic, Kingston, Ont.,* IEEE Computer Soc. Publ. Office 1985; pp. 338-344.

[27], [30]

H. Machida, I. G. Rosenberg, Essentially minimal groupoids, in: *Algebras and Orders,*
Kluwer Academic Publishers, 1993; pp. 287-316.

[27]

O. M. Mamedov, On regularity and subregularity in varieties, *Acta Sci. Math. (Szeged),* **59**(1994), 405-410.

[9]

S. S. Marchenkov, A-classification of idempotent functions of many-valued logic, *Discrete Appl. Math.* **135**(2004), no. 1-3, 183-203. (See also: *Diskretn. Anal. Issled. Oper. Ser. 1* **6**(1999), no. 1, 19-43, 97.)

[21]

S. S. Marchenkov, Classification of algebras with alternating group of automorphisms, *Doklady Akad. Nauk SSSR* **265**(1982), 533-536. (Russian)

[21]

S. S. Marchenkov, Classification of algebras with an alternating group of automorphisms, *Mathematical Problems in Cybernetics, No. 2,* Nauka, Moscow, 1989; pp. 100-122. (Russian)

[21]

S. S. Marchenkov, Classification of finite dual discriminator algebras by their clones, *Mat. Zametki,* **61**(1997), 359-366. (Russian)

[21], [25]

S. S. Marchenkov, Closed classes in Pk containing homogeneous functions, *Akad. Nauk SSSR Inst. Prikl. Mat. Preprint,* 1984, No. 35, 28 pp. [MR 86d:03025]

[21]

S. S. Marchenkov, On closed classes of quasilinear functions in P_3, *Akad. Nauk SSSR Inst. Prikl. Mat. Preprint,* 1986, No. 17, 27 pp.

[21]

S. S. Marchenkov, On homogeneous algebras, *Doklady Akad. Nauk SSSR* **256**(1981), 787-790. (Russian)

[21]

S. S. Marchenkov, Homogeneous algebras, *Problemy Kibernetiki* **39**(1982), 85-106. (Russian)

[21]

D. Mašulović, On clones of operations over finite Boolean algebras, *Algebra Universalis* **59**(2008), 447-461.

[29]

D. Mašulović, On dualizing clones as Lawvere theories, *Internat. J. Algebra Comput.,* **16**(2006), 657-687.

[29]

D. Mašulović, R. Pöschel, Rosenberg co-relations, *Multiple-valued Logic,* **5**(2000), 229-238.
[29]

D. Mašulović, M. Rössiger, Algebras of co-relations on a finite set, *Contr. to General Algebra 13,* V. J. Heyn, Klagenfurt, 2000, pp. 218-232.
[29]

K. Matczak, A. B. Romanowska, J. Smith, Dyadic polygons, *Internat. J. Algebra Comput.* **21** (2011), 387-408.
[11]

K. Matczak, A. B. Romanowska, Irregular quasivarieties of commutative binary modes, *Internat. J. Algebra Comput.* 15 (2005), no. 4, 699-715.
[11]

K. Matczak, A. B. Romanowska, Quasivarieties of cancellative commutative binary modes, *Studia Logica* **78** (2004), 321-335.
[11]

Yu. M. Movsisyan*, Introduction to the theory of algebras with hyperidentities,* Erevan University, Erevan, 1986. (Russian)
[9]

P. P. Pálfy, The arity of minimal clones, *Acta Sci. Math. (Szeged)* **50**(1986), 331-333.
[25], [27]

P. P. Pálfy, Some functionally complete minimal clones, *Acta Sci. Math. (Szeged)* **73** (2007), 487-495.
[21], [27], [30]

P. P. Pálfy, L. Szabó, A. Szendrei, Algebras with doubly transitive automorphism groups, *Finite Algebra and Multiple-Valued Logic* (Proc. Conf. Szeged, 1979), Colloq. Math. Soc. J. Bolyai, vol. 28, North-Holland, Amsterdam-New York-Oxford, 1981; pp. 521-535.
[22]

P. P. Pálfy, L. Szabó, A. Szendrei, Automorphism groups and functional completeness, *Algebra Universalis* **15**(1982), 385-400.
[22]

A.Pilitowska, A. Romanowska, J. D. H. Smith, Affine spaces and algebras of subalge- bras, *Algebra Universalis,* **34**(1995), 527-540.
[11], [12]

A. G. Pinus, Conditional terms and their applications in algebra and in computation theory (Russian), *Uspekhi Mat. Nauk* **56**(2001), no. 4(340), 35-72; lasd meg: *Russian Math. Surveys* **56**(2001), 649-686.
[25]

A. G. Pinus, *Congruence modular varieties of algebras,* Irkutsk University, Irkutsk, 1986. (Russian)
[17]

A. G. Pinus, *Derived structures of universal algebras,* NGTU, Novosibirsk, 2007. (Russian)
[21],[22], [39]

A. G. Pinus, On proper automorphisms of universal algebras (Russian), *Sibirsk. Mat. Zh.* **45**(2004), 1329-1337; see also: *Siberian Math. J.* **45**(2004), 1084-1090.
[5]

B. I. Plotkin, *Automorphism groups of algebraic systems,* Nauka, Moscow, 1966. (Russian)
[4], [5] (p. 316)

R. Pöschel, Homogeneous relational algebras are relationally complete, *Finite Algebra and Multiple-Valued Logic* (Proc. Conf. Szeged, 1979), Colloq. Math. Soc. J. Bolyai, vol. 28, North-Holland, Amsterdam-New York-Oxford, 1981; pp. 587-601.
[22]

R. Pöschel, M. Rössiger, A general Galois theory for cofunctions and corelations, *Algebra Universalis,* **43** (2000), 331-345.
[28], [29]

M. Pouzet, I. G. Rosenberg, General metrics and contracting operations, *Discrete Mathematics,* **130** (1994), 103-169.
[6]

K. J. Pszczola, Duality for affine spaces over finite fields, *Contr. to General Algebra 13,* V. J. Heyn, Klagenfurt, 2000, pp. 285-293.
[11]

K. J. Pszczola, A. B. Romanowska, J. D. H. Smith, Duality for some free modes, *Discussiones Mathematicae,* **23**(2003), 45-61.
[11]

R. W. Quackenbush, A survey of minimal clones, *Aequationes Mathematicae,* **50**(1995), 3-16.
[27], [30]

R. W. Quackenbush, Varieties with n-principal compact congruences, *Algebra Universalis* **14**(1982), 292-296.
[17]

A. Romanowska, An introduction to the theory of modes and modals, Proc. Internat. Conf. on Algebra, Part 3 (Novosibirsk, 1989), 241-262. (MR 93g:08001)
[11], [12], [14], [15], [20]

A. Romanowska, Mal'cev modes, affine spaces, and barycentric algebras, *Universal Algebra and Quasigroup Theory,* Heldermann-Verlag, Berlin, 1992; pp. 173-194.
[11], [12], [14], [15], [20]

I. G. Rosenberg, Functional completeness of single generated or surjective algebras, *Finite Algebra and Multiple-Valued Logic* (Proc. Conf. Szeged, 1979), Colloq. Math. Soc. J. Bolyai, vol. 28, North-Holland, Amsterdam-New York-Oxford, 1981; pp. 635-652.
[22]

I. G. Rosenberg, Minimal clones I: The three types, *Lectures in Universal Algebra* (Proc. Conf. Szeged, 1983), Colloq. Math. Soc. J. Bolyai, vol. 43, North-Holland, Amsterdam-New York-Oxford, 1986; pp. 405-427.
[25], [27]   ^

I. G. Rosenberg, A. Szendrei, Degrees of clones and relations, *Houston J. Math.* **9**(1983), 545-580.
[21], [23]

M. Rössiger, A unified characterization of clones, *Contr. to General Algebra 12,* V. J. Heyn, Klagenfurt, 2000 (Proc. 58. AAA, Vienna, 1999), pp. 355-370.
[29]

J. J. M. M. Rutten, Universal coalgebra: a theory of systems, *Theoret. Comput. Sci.* **249** (2000) 3-80.
[29]

I. S. Safuanov, On affine parts of algebraic theories, *Vestn. Mosk. Un-ta Ser. 1.* (1983)(2), 45-49.
[1], [3]

D. Schweigert, Hyperidentities, in: *Algebras and orders,* (Montreal, PQ, 1991), 405506. (MR 94m:08006)
[27]

B. Seselja, A note on UCEP, *Proc. Internat. Conf.* (Summer School on General Algebra and Ordered Sets, 1994), Palacky University, Olomouc, 1994; pp. 131-137. [
[16]

B. Seselja, A. Tepavcevic, *Weak congruences in universal algebra,* Inst. Math. Novi Sad, 2001. (MR 2002k:08001)
[16]

R. Shen, Intersection graphs of subgroups of finite groups, *Czechoslovak Math. J.* **60** (135) (2010), 945-950.
[7]

J. D. H. Smith, Modes and modals, *Discussiones Mathem.* **19**(1999), 9-40.
[11]

J. W. Snow, Maltsev conditions and relations on algebras, *Algebra Universalis* **42**(1999), 299-309.
[9]

L. Szabó, Algebras which are simple with weak automorphisms, *Algebra Universalis* **42**(1999), 205-233.
[22]

L. Szabó, Algebras with transitive automorphism groups, *Algebra Universalis* **31**(1994), 589-598.
[22]

L. Szabó, Basic permutation groups on infinite sets, *Acta Sci. Math. (Szeged)* **47**(1984), 61-70.
[22]

L. Szabó, Idempotent algebras with transitive automorphism groups, *lActa Sci. Math. (Szeged)* **56**(1992), 215-222.
[22]

L. Szabó, Interpolation in algebras with doubly primitive automorphism groups, *Elektron. Informationsverarbeit. Kybernetik* **19**(1983), 603-610.
[22]

L. Szabó, On the lattice of clones acting bicentrally, *Acta Cybern.* **6**(1984), 381-388.
[21], [22]

L. Szabó, Triply transitive algebras, *Acta Sci. Math. (Szeged)* **51**(1987), 221-227.
[1], [4], [18]

L. Szabó, A. Szendrei, Almost all algebras with triply transitive automorphism groups are functionally complete, *Acta Sci. Math. (Szeged)* **41**(1979), 391-402.
[22]

L. Szabó, E. Varmonostory, On characteristically simple conservative algebras, *Publ. Math. Debrecen* **57**(2000), 425-433.
[22]

B. Szczepara, *Minimal clones generated by groupoids,* PhD Thesis, Université de Montréal, 1995; 225 pages. (MR2695790)
[26], [27], [30]

A. Szendrei, Algebras of prime cardinality with a cyclic automorphism, *Archiv Math. (Basel)* **39**(1982), 417-427.
[22]

A. Szendrei, A survey of clones closed under conjugation, in: *Galois Connections and Applications* (K. Denecke, M. Erne, S. L. Wismath, Eds.), Kluwer, 2004; pp. 297-343.
[21]

A. Szendrei, *Clones in Universal Algebra,* Seminaire de Mathematiques Superieures, vol. 99., Les Presses de l'Universite de Montreal, Montreal, 1986.
[21], [22], [26], [27]

A. Szendrei, On weakly commuting operations, *Contributions to General Algebra* (Proc. Conf. Klagenfurt, 1978), Verlag Johannes Heyn, Klagenfurt, 1979; pp. 373-380.
[1], [4], [18]

A. Szendrei, Simple surjective algebras having no proper subalgebras, *J. Austral. Math. Soc. Ser. A 48(1990), 434-454.*
[29]

A. Szendrei, Strictly simple algebras and minimal varieties, *Universal Algebra and Quasigroup Theory,* Heldermann-Verlag, Berlin, 1992; pp. 209-239.
[12], [20]

A. Szendrei, Strongly Abelian minimal varieties, *Acta Sci. Math. (Szeged)* **59** (1994), 25-42.
[28], [29]

A. Szendrei, Symmetric algebras, *Contributions to General Algebra 6,* Verlag Hölder-Pichler-Tempsky, Wien, 1988; pp. 259-280.
[21]

Z. Székely, On maximal clones of co-operations, *Acta Sci. Math. (Szeged)* **53**(1989), 43-50.
[28], [29]

D. M. Smirnov, *Mnogoobraziya algebr,* Nauka, Novosibirsk, (MR 94d:08001) 1992.
[3],[9], [11], [15]

W. Taylor, Fixed points of endomorphisms, *Algebra Universalis* **2**(1972), 74-76.
[9]

W. Taylor, Characterizing Mal'cev conditions, *Algebra Universalis* **3**(1973), 351-397.
[1], [3], [4], [9]

W. Taylor, Uniformity of congruences, *Algebra Universalis* **4**(1974), 342-360.
[9]

W. Taylor, Equational logic, *Houston J. of Math.,* Survey, 1979, 1-83.
[1],[3], [4], [9], [11], [12], [18]

17

W. Taylor, Subdirectly irreducible algebras in regular permutable varieties, *Proc. Amer. Math. Soc.* **75**(1979), 196-200.
[9]

W. Taylor, *The Clone of a Topological Space,* Heldermann-Verlag, Berlin, 1986.
[18]

M. A. Valeriote, Finite simple abelian algebras are strictly simple, *Proc. Amer. Math. Soc.* **108** (1990), 49-57.

I. I. Valutse, *Mappings : algebraic aspects of the theory),* Stiintsa, Kishinev, 1976. (MR0460218)
[2]

J. Varlet, A regular variety of type (2, 2, 1, 1, 0, 0), *Algebra Universalis* **2**(1972), 218-223.
[9]

J. Varlet, Remarks on fully invariant congruences, *Contributions to Universal Algebra* (Proc. Conf. Szeged, 1975), Colloq. Math. Soc. J. Bolyai, vol. 17, North-Holland, Amsterdam-New York-Oxford, 1977; pp. 515-554.
[13]

E. Vármonostory, Central pattern functions, *Acta Sci. Math. (Szeged)* **56**(1992), 223-227.
[22]

E. Vármonostory, Relational pattern functions, *Finite Algebra and Multiple-Valued Logic* (Proc. Conf. Szeged, 1979), Colloq. Math. Soc. J. Bolyai, vol. 28, North- Holland, Amsterdam-New York-Oxford, 1981; pp. 753-758.
[22]

E. Vármonostory, Generalized pattern functions, *Algebra Universalis* **29**(1992), 346353.
[22]

E. Vármonostory, Order-discriminating operations, *Order* **9**(1992), 239-244.
[22]

E. Vármonostory, Permutation-pattern algebras, *Algebra Universalis* **45** (2001), 435-448.
[22]

E. Vármonostory, Totally reflexive, totally symmetric pattern algebras, *Mathematica* **47** (70) (2005), 223-230.
[22]

V. A. Vedernikov, V. S. Monahov, L. A. Shemetkov, The connectedness of the graph of the intersections of the subgroups of a finite simple group (Russian), *Dokl. Akad. Nauk BSSR* **21** (1977), no. 5, 398-401, 475-476.
[7]

T. Waldhauser, Minimal clones generated by majority operations, *Algebra Universalis* **44** (2000), 15-26.
[27], [30]

T. Waldhauser, Minimal clones with few majority operations, *Acta Sci. Math. (Szeged),* **73** (2007), 471-486.
[21], [27], [30], [39]

B. Zelinka, Intersection graphs of lattices, *Mat. Casopis Sloven. Akad. Vied* **23**(1973), 216-222.
[7]

B. Zelinka, Intersection graphs of finite abelian groups, *Czechoslovak Math. Journal* (25)**100**(1975), 171-174.
[7]

A. V. Zhozhikashvili, On the equivalence of categories of affine modules, *Mat. Zametki* **24**(1978), 475-486. (Russian)
[11]