

**The conference is supported by the
National Laboratory for Health Security project
RRF-2.3.1-21-2022-00006**

On the dynamics of an electronic circuit in moderate dimensions

BARNABÁS GARAY

Faculty of Information Technology and Bionics, PP Catholic University Budapest, Hungary
garay@digitus.itk.ppke.hu

We consider the cyclic system of differential equations

$$\dot{x}_n = -x_n + \alpha\sigma(x_{n-1}) + \beta\sigma(x_{n+1}), \quad n = 1, 2, \dots, N \quad (1)$$

with parameters in

$$\mathcal{R} = \left\{ (\alpha, \beta) \in \mathbb{R}^2 \mid \alpha > 0 \text{ and } \beta \in (0, \alpha] \right\}$$

and the saturated, piecewise linear sigmoid nonlinearity

$$\sigma(x) = \frac{1}{2}(|x+1| - |x-1|) \quad \text{for each } x \in \mathbb{R} \quad (2)$$

modeling a Chua–Yang ring of N electrical oscillators with two-sided nearest neighbor couplings.

Comments on periodic and heteroclinic orbits are made. Numerical aspects are not trivial, too. Equilibrium patterns are discussed by using generalized Fibonacci–Lucas polynomials.

This is ongoing joint work with Miklós Koller